Application No.: 10/722,341 Docket No.: 102314-0157

AMENDMENTS TO THE CLAIMS

This listing of the claims replaces all prior versions, and listings, of the claims in this application,

Listing of the Claims:

- 1. (Canceled)
- (Currently Amended) A control system, comprising:
 - a computing device providing a first control function within the control system,
 - a plurality of field devices,
 - at least one of the field devices providing a second control function within the control system, the second control function including controlling one or more devices.
 - a computing device providing a first control function within the control system, the first control function including controlling at least the field device that provides the second control function,
 - the computing device including a control subsystem communicatively coupled to the computing device, the control subsystem comprising:
 - a bus,
 - a plurality of modules that are coupled to the bus and that each comprise a housing, and
 - at least a first module comprising a controller,
 - at least a second module interfacing one or more of the field devices,
 - at least a third module interfacing to the field device that provides the second control function.

Application No.: 10/722,341

Docket No.: 102314-0157

3. (Currently Amended) A control system, comprising:

a computing device providing a first control function within the control system,

a plurality of field devices,

at least one of the field devices providing a second control function within the control system.

a control subsystem communicatively coupled to the computing device, the control subsystem comprising:

a bus,

a plurality of modules that are coupled to the bus and that each comprise a housing, and

at least a first module comprising a controller.

at least a second module interfacing one or more of the field devices.

at least a third module interfacing to the field device that provides the second control function

The control system according to claim 2, wherein the computing device downloads programs and data to the control subsystem.

- 4. (Currently Amended) A control system according to claim 3 2, comprising a support member that is adapted to mount to any of a wall and a DIN rail, at least one module being mechanically coupled to the support member.
- 5. (Currently Amended) A control system according to claim 3 2, wherein at least one of the field devices comprises a sensor.
- 6. (Currently Amended) A control system according to claim 3 2, wherein the bus is a multidrop bus.

NO.724 P.5

JUN.27.2005 8:01PM

Application No.: 10/722,341 Docket No.: 102314-0157

- 7. (Previously Presented) A control system, comprising
 - a network,
 - a first control device that is coupled to the network,
 - a second control device that is coupled to network for communication with at least the first control device,

one or more field devices,

at least one of the field devices comprising a third control device.

the second control device comprising

a bus,

a control processor that is coupled to the bus,

one or more modules that are coupled to the bus for communication with at least the control processor,

at least one of the modules comprising a housing, and

at least one of the modules being adapated to serve as an interface to at least one field device,

at least one of the modules serving as an interface to, and controlling, the field device that comprises the third control device,

the first control device being configured to control the second control device.

8. (Previously Presented) A control system according to claim 7, comprising a support member that is adapted to mount to any of a wall and a DIN rail, at least one of the modules being mechanically coupled to the support member.

Application No.: 10/722,341

Docket No.: 102314-0157

- (Previously Presented) A control system according to claim 7, wherein at least one of the field devices comprises a sensor.
- 10. (Previously Presented) A control system according to claim 7, wherein the bus is a multidrop bus.
- 11. (Previously Presented) A control system, comprising
 - a first control device and a second control device.

the first control device comprising

a bus,

a plurality of modules that are coupled to the bus,

at least one of the modules comprising a control processor,

at least one other of the modules adapted to provide an interface to a field device,

- at least one of the other modules serving as an interface to a field device that comprises the second control device.
- a computing device that is coupled to the first control device via a network, the computing device being configured to download programs to the first control device.
- 12. (Previously Presented) A control system according to claim 11, wherein at least one of the other modules includes interface logic that comprises a PCMCIA card.
- 13. (Previously Presented) According to claim 12, wherein the interface logic further comprises

an interface controller in communication with the PCMCIA card, and

an external connector in communication with the PCMCIA card.

Application No.: 10/722,341 Docket No.: 102314-0157

14. (Previously Presented) A control system according to claim 11, wherein the second control device executes programming for process control.

- 15. (Previously Presented) A control system according to claim 11, wherein at least one of the other modules comprises a PCMCIA card that is adapted for communications with the respective field device of that module.
- 16. (Previously Presented) A control system, comprising
 - a first control device that is coupled to a workstation via a network, the first control device comprising

a bus.

a plurality of modules that are coupled to the bus.

at least one of the modules comprising a control processor,

at least one other of the modules adapted to provide an interface to a field device,

at least one of the other modules serving as an interface to a field device that comprises the second control device,

the workstation being configured to download programs to the first control device.

- 17. (Previously Presented) A control system according to claim 16, wherein at least one of the other modules comprises interface logic that includes a PCMCIA card.
- 18. (Previously Presented) According to claim 17, wherein the interface logic further comprises

an interface controller in communication with the PCMCIA card, and

an external connector in communication with the PCMCIA card.

JUN.27.2005 8:01PM NO.724 P.8

Application No.: 10/722,341 Docket No.: 102314-0157

19. (Previously Presented) A control system according to claim 16, comprising a support member that is adapted to mount to any of a wall and a DIN rail, wherein at least one of the modules is mechanically coupled to the support member.

- 20. (Previously Presented) A control system according to claim 16, wherein at least one of the other modules comprises a PCMCIA card that is adapted to serve as the interface to the respective field device of that module.
- 21. (Previously Presented) A control system, comprising
 - a computing device coupled to a network,
 - a first control device that is coupled to the computing device via the network, the first control device comprising

a bus,

a control processor that is coupled to the bus,

a plurality of modules that are coupled to the bus and that are adapted to serve as interfaces to field devices,

at least one of the modules serving as an interface to, and controlling, a device that includes a second control device.

wherein the computing device is configured to download programs to the first control device.

- 22. (Previously Presented) A control system according to claim 21, wherein at least one of the other modules comprises interface logic.
- 23. (Previously Presented) A control system according to claim 22, wherein the interface logic comprises a PCMCIA card.
- 24. (Previously Presented) According to claim 23, wherein the interface logic further comprises

Application No.: 10/722,341 Docket No.: 102314-0157

an interface controller in communication with the PCMCIA card, and

an external connector in communication with the PCMCIA card.

- 25. (Previously Presented) A control system according to claim 21, wherein wherein at least one of the other modules comprises a support member that is adapted to mount to a DIN rail.
- 26. (Previously Presented) A control system according to claim 21, wherein at least one of the other modules comprises a PCMCIA card that is adapted to serve as the interface to the respective field device of that module.
- 27. (Previously Presented) A control system, comprising
 - a first control device coupled to a network.
 - a second control device that is coupled to the first control device via the network, the second control device including
 - a control processor,
 - a plurality of modules that are coupled to one another and to the control processor by a bus, the modules being adapted to serve as interfaces to field devices,
 - at least one of the modules being adapted to serve as an interface to a field device that comprises a third control device.
- 28. (Previously Presented) A control system according to claim 27, wherein at least one of the other modules comprises interface logic.
- (Previously Presented) A control system according to claim 28, wherein the interface logic comprises a PCMCIA card.
- (Previously Presented) According to claim 28, wherein the interface logic further comprises

Application No.: 10/722,341

Docket No.: 102314-0157

an interface controller in communication with the PCMCIA card, and an external connector in communication with the PCMCIA card.

- 31. (Previously Presented) A control system according to claim 27, comprising a support member that is adapted to mount to any of a wall and a DIN rail, wherein at least one of the modules is coupled to the support.
- 32. (Previously Presented) A control system according to claim 31, wherein the support member is adapted to mount to a DIN rail.
- 33. (Previously Presented) A control system according to claim 27, wherein the second control device is adapted to control the third control device.
- 34. (Previously Presented) A control system according to claim 27, wherein the second control device can be expanded to include further modules.
- 35. (Previously Presented) A control system according to claim 27, wherein at least one of the other modules comprises a PCMCIA card that is adapted to serve as the interface to the respective field device of that module.